HEALTH APPRAISAL QUESTIONNAIRE - COMPREHENSIVE PATIENT FORM

NA	ME:					DATE:	
	r answers to this health appraisal questionnaire wer all questions, in each section.	will a	ssist yc	our pro	actitioner	in gaining information about your current symptoms and health concerns. Ple	ease
	cle the number which best describes the frequency propriate letter.	cy or	severit	y of yo	our symp	oms over the previous month , or answer the yes or no questions by circling	the
	may note that some questions are repeated throuvrate interpretation of your results. You may howe					Ve would appreciate it if you can answer all questions, as this will ensure the mif you are unsure of the answer.	nos
CE	CTION 1. CASTROINITESTINAL	Never	Occasionally	Moderately / Often	Frequently / Daily	Never Occasionally Moderately / Offen	Frequently / Daily
	CTION 1: GASTROINTESTINAL					,	
5 e	tion 1.1 Stomach: Hypoacidity					1. Indigestion, bloating and fullness for several	
1.	Indigestion	0	1	2	3	hours after eating 0 1 2	3
2.	Excessive belching, burping	0	1	2	3	2. Abdominal cramps or aches 0 1 2	3
3.	Bloating or fullness commencing during or					3. Nausea and/or vomiting 0 1 2	3
	shortly after a meal	0	1	2	3	4. Excessive passage of gas 0 1 2	3
4.	Sensation of food sitting in stomach for a					5. Diarrhoea (loose, watery or frequent bowel	
	prolonged period after a meal	0	1	2	3	movements) 0 1 2	3
5.	Bad breath	0	1	2	3	6. Constipation (requiring straining, or a hard,	
6.	Loss of appetite, or nausea	0	1	2	3	dry or small stool) 0 1 2	3
7.	History of anaemia	Ν			Y (3)	7. Alternating constipation and diarrhoea 0 1 2	3
						8. Undigested food in stools 0 1 2	3
			TOTAL	.:	_	9. Stools greasy, smelly or stick to toilet bowl 0 1 2	3
						,	10
Sec	tion 1.2 Stomach: Hyperacidity					4	(3)
1.	Stomach pain, burning or aching,						′ (3)
	1-4 hours after eating	0	1	2	3	13. Difficulty gaining weight N Y	′ (3)
2.	Feeling hungry just an hour or two after eating	0	1	2	3	TOTAL	
3.	Indigestion or heartburn from spicy or					TOTAL: Section 1.4 Colon	-
	fatty food, citrus, alcohol, or caffeine	0	1	2	3		
4.	Stomach discomfort or pain in response					Lower abdominal pain, cramping	
	to strong emotions, thoughts, or smell of food	0	1	2	3	and/or spasms 0 1 2	3
5.	Heartburn aggravated by lying down or					2. Lower abdominal pain relieved by	
	bending forward	0	1	2	3	passing gas or stool 0 1 2	3
6.	Antacids, carbonated beverages, milk,					3. Excessive gas and bloating 0 1 2	3
	cream or food relieve the above symptoms	0	1	2	3	4. Certain foods or stress aggravate	
7.	Constipation	0	1	2	3	lower abdominal pain 0 1 2	3
8.	Difficulty or pain when swallowing	0	2	4	6	5. Diarrhoea (loose, watery or	
9.	Black tarry stools	0	4	8	10	frequent bowel movements) 0 1 2	3
10.	Vomiting blood or vomitus has appearance					6. Constipation (requiring straining, or	
	of coffee-grounds	0	4	8	10	a hard, dry or small stool) 0 1 2	3
						7. Alternating diarrhoea and constipation 0 1 2	3
			TOTAL	:	_	8. Sensation of incomplete emptying of bowel 0 2 4	- 6
						9. Extremely narrow stools 0 2 4	10
						10. Mucus or pus in stool 0 2 4	- 6
	MET2825 - HA - 04/11					11. Red blood with bowel movement 0 2 8	10
						12. Rectal pain or cramps 0 1 2	3
Ш						13. Anal itching 0 1 2	3

TOTAL:___

Section 1.5 Liver/Gall Bladder/Pancreas 1. Upper abdominal pain, or pain under ribs 0. 1 2 3 2. Bloating or feeling of fullness after eating 0. 1 2 3 3. Excessive belching or gas 0. 1 2 3 3. Excessive belching or gas 0. 1 2 3 3. Swelling or tightness in front of neck N Y (8) 4. Fatty foods cause indigestion or nausea 0. 1 2 3 4. Diarrhoea (loose, watery or frequent 5. Loss of appetite 0. 1 2 3 6. Nausea and/or vomiting 7. Unexplained itchy skin 8. Yellowish discolouration of skin or eyes, or dark coloured urine N Y (8) 8. Tremor 9. Pale clay-coloured stools 0. 1 2 3 10. Fatigue, notable weakness in limbs 0. 1 2 3 1. Fatigue, notable weakness in limbs 0. 1 2 3 2. Feeling hot, or intolerance to heat, sweaty 0. 1 2 3 3. Swelling or tightness in front of neck N Y (8) 4. Diarrhoea (loose, watery or frequent 5. Loss of appetite N Y (3) 7. Weight loss, possibly with increased appetite N Y (8) 8. Tremor 1. Paigue, notable weakness 1. Fatigue, notable weakness 1. Patigue, notable weakness 1. Fatigue, notable weakness 1. Patigue, nota			Never	Occasionally	Moderately / Often	Frequently / Daily		Never	Occasionally	Moderately / Often	Frequently / Daily
2. Bloating or feeling of fullness after eating 3. Excessive belching or gas 4. Fatty foods cause indigestion or nausea 6. Nausea and/or vomiting 7. Unexplained itchy skin 8. Yellowish discolouration of skin or eyes, or dark coloured urine 8. Yellowish discoloured stools 9. Pale clay-coloured stools 10. Fatigue, malaise or weakness 11. Fluid retention, oedema 12. Easy bruising, or bleeding (e.g. of gums) 11. Poor libido 12. 3 2. Feeling hot, or intolerance to heat, sweaty 9. Teeling hot, or intolerance to heat, sweaty 9. V (8) 9. Diarrhoea (loose, watery or frequent 9. Weight loss, possibly with increased appetite 9. Pale clay-solouration of skin or eyes, 9. Nervousness, irritability, restlessness 9. 1. 2. 3 9. Insomnia 9. I	Se	ction 1.5 Liver/Gall Bladder/Pancreas					Section 2.2 Symptoms of overactive thyroid	_			
3. Excessive belching or gas 0 1 2 3 4. Fatty foods cause indigestion or nausea 0 1 2 3 4. Diarrhoea (loose, watery or frequent 5. Loss of appetite 0 1 2 3 6. Nausea and/or vomiting 0 1 2 3 7. Unexplained itchy skin 8. Yellowish discolouration of skin or eyes, or dark coloured urine N Y (8) 7. V(8) 8. Tremor 9. Pale clay-coloured stools 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 11. Fluid retention, oedema 0 1 2 3 11. Poor libido 12. Table (loose, watery or frequent) 12. Basy bruising, or bleeding (e.g. of gums) 11. Poor libido 12. Table (loose, watery or frequent) 13. Swelling or tightness in front of neck N Y (8) 4. Diarrhoea (loose, watery or frequent) 12. Swelling or tightness in front of neck N Y (8) 4. Diarrhoea (loose, watery or frequent) 12. Swelling or tightness in front of neck N Y (8) 4. Diarrhoea (loose, watery or frequent) 10. Palpitations 10. Palpitations 11. Poor libido 12. Table (loose, watery or frequent) 12. Table (loose, watery or frequent) 13. Swelling or tightness in front of neck N Y (8) 4. Diarrhoea (loose, watery or frequent) 10. Palpitations 10. Palpitations 10. Palpitations 11. Poor libido 12. Table (loose, watery or frequent) 13. Swelling or tightness in front of neck N Y (8) 14. Diarrhoea (loose, watery or frequent) 15. Loos of guent) 16. Palpitations 17. Nervousness, irritability, restlessness 18. Tremor 19. Pale clay-coloured stools 10. Visual disturbance, problems with eyes, or development of staring gaze 10. 2 4 6 11. Poor libido 11. 2 3	1.	Upper abdominal pain, or pain under ribs	0	1	2	3	1. Fatigue, notable weakness in limbs	0	1	2	3
4. Fatty foods cause indigestion or nausea 0 1 2 3 4. Diarrhoea (loose, watery or frequent bowel movements) 0 1 2 3 5. Weight loss, possibly with increased appetite N Y (3) 7. Unexplained itchy skin 0 1 2 3 6. Palpitations 0 1 2 3 7. Nervousness, irritability, restlessness 0 1 2 3 7. Nervousness, irritability,	2.	Bloating or feeling of fullness after eating	0	1	2	3	2. Feeling hot, or intolerance to heat, sweaty	0	1	2	3
5. Loss of appetite 0 1 2 3 bowel movements) 0 1 2 3 6. Nausea and/or vomiting 0 1 2 3 5. Weight loss, possibly with increased appetite N Y (3) 7. Unexplained itchy skin 0 1 2 3 6. Palpitations 0 1 2 3 8. Yellowish discolouration of skin or eyes, or dark coloured urine N Y (8) 8. Tremor 0 1 2 3 9. Pale clay-coloured stools 0 2 4 8 9. Insomnia 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 10. Visual disturbance, problems with eyes, or development of staring gaze 0 2 4 6 12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3 11. Poor libido 0 1 2 3	3.	Excessive belching or gas	0	1	2	3	3. Swelling or tightness in front of neck	Ν			Y (8)
6. Nausea and/or vomiting 7. Unexplained itchy skin 8. Yellowish discolouration of skin or eyes, or dark coloured urine 7. Nervousness, irritability, restlessness 8. Tremor 9. Pale clay-coloured stools 10. Fatigue, malaise or weakness 11. Fluid retention, oedema 12. Easy bruising, or bleeding (e.g. of gums) 13. Visual disturbance, problems with eyes, or development of staring gaze 14. Visual disturbance or development of staring gaze 15. Weight loss, possibly with increased appetite N Y (3) Y (3) Y (3) Y (3) Y (3) S. Weight loss, possibly with increased appetite N Y (3) Y (3) Y (3) Y (3) Y (3) N N N Visual disturbance, problems with eyes, or development of staring gaze O 2 4 6 11. Poor libido O 1 2 3	4.	Fatty foods cause indigestion or nausea	0	1	2	3	4. Diarrhoea (loose, watery or frequent				
7. Unexplained itchy skin 0 1 2 3 6. Palpitations 0 1 2 3 8. Yellowish discolouration of skin or eyes, or dark coloured urine N Y (8) 8. Tremor 0 1 2 3 9. Pale clay-coloured stools 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 11. Fluid retention, oedema 0 1 2 3 12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3	5.	Loss of appetite	0	1	2	3	bowel movements)	0	1	2	3
8. Yellowish discolouration of skin or eyes, or dark coloured urine N Y (8) 9. Pale clay-coloured stools 10. Fatigue, malaise or weakness 11. Fluid retention, oedema 12. Easy bruising, or bleeding (e.g. of gums) 7. Nervousness, irritability, restlessness 0 1 2 3 8. Tremor 0 1 2 3 9. Insomnia 0 1 2 3 10. Visual disturbance, problems with eyes, or development of staring gaze 0 2 4 6 11. Poor libido 0 1 2 3	6.	Nausea and/or vomiting	0	1	2	3	5. Weight loss, possibly with increased appetite	Ν			Y (3)
or dark coloured urine N Y (8) 8. Tremor 0 1 2 3 9. Pale clay-coloured stools 0 2 4 8 9. Insomnia 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 10. Visual disturbance, problems with eyes, or development of staring gaze 0 2 4 6 11. Fluid retention, oedema 0 1 2 3 11. Poor libido 0 1 2 3 12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3 11. Poor libido 0 1 2 3	7.	Unexplained itchy skin	0	1	2	3	6. Palpitations	0	1	2	3
9. Pale clay-coloured stools 0 2 4 8 9. Insomnia 0 1 2 3 10. Fatigue, malaise or weakness 0 1 2 3 10. Visual disturbance, problems with eyes,	8.	Yellowish discolouration of skin or eyes,					7. Nervousness, irritability, restlessness	0	1	2	3
10. Fatigue, malaise or weakness 0 1 2 3 10. Visual disturbance, problems with eyes, 11. Fluid retention, oedema 0 1 2 3 or development of staring gaze 0 2 4 6 12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3 11. Poor libido 0 1 2 3		or dark coloured urine	Ν			Y (8)	8. Tremor	0	1	2	3
11. Fluid retention, oedema 0 1 2 3 or development of staring gaze 0 2 4 6 12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3 11. Poor libido 0 1 2 3	9.	Pale clay-coloured stools	0	2	4	8	9. Insomnia	0	1	2	3
12. Easy bruising, or bleeding (e.g. of gums) 0 1 2 3 11. Poor libido 0 1 2 3	10.	Fatigue, malaise or weakness	0	1	2	3	10. Visual disturbance, problems with eyes,				
	11.	Fluid retention, oedema	0	1	2	3	or development of staring gaze	0	2	4	6
13. Loss or thinning of body hair N Y (3) 12. Light, infrequent or absent menstrual periods N Y (3)	12.	Easy bruising, or bleeding (e.g. of gums)	0	1	2	3	11. Poor libido	0	1	2	3
	13.	Loss or thinning of body hair	Ν			Y (3)	12. Light, infrequent or absent menstrual periods	Ν			Y (3)
14. Red skin, particularly on palms N Y (3)	14.	Red skin, particularly on palms	Ν			Y (3)					
15. Dry, flaky skin, or dry hair N Y (3)	15.	Dry, flaky skin, or dry hair	Ν			Y (3)			TO	TAL:	

TOTAL:

SECTION 2: ENDOCRINE

Section 2.1 Symptoms of underactive thyroid

1.	Fatigue, sluggishness	0	1	2	3	
2.	Feeling cold, or intolerance to cold	0	1	2	3	
3.	Swelling or tightness in front of neck	Ν			Y (8)	
4.	Constipation (requiring straining, or a					
	hard, dry or small stool)	0	1	2	3	
5.	Dry skin and hair	Ν			Y (3)	
6.	Puffy face, hands or feet	0	1	2	3	
7.	Gaining of weight, or decreased appetite	Ν			Y (3)	
8.	Low mood	0	1	2	3	
9.	Difficulty concentrating, poor memory	0	1	2	3	
10.	Low libido	0	1	2	3	
11.	Infertility	Ν			Y (3)	
12.	Heavier or more frequent menstrual periods	Ν			Y (3)	

TOTAL:____

Section 2.3 Stress, fatigue and adrenals

1.	Feeling stressed, nervous, or tense,				
	or unable to relax	0	1	2	3
2.	Feeling irritable or oversensitive	0	1	2	3
3.	Feeling overwhelmed, unable to cope	0	1	2	3
4.	Low mood, mood swings	0	1	2	3
5.	Difficulty concentrating or thinking clearly,				
	memory problems	0	1	2	3
6.	Need coffee, tea, tobacco, sugar or				
	chocolate as pick me ups	0	1	2	3
7.	Fatigued, tire easily	0	1	2	3
8.	Find it hard to get up and going in the morning	g 0	1	2	3
9.	Difficulty staying awake during day	0	1	2	3
10.	Insomnia	0	1	2	3
11.	Palpitations or chest pain	0	1	2	3
12.	Nausea, dizziness	0	1	2	3
13.	Change in appetite	0	1	2	3

TOTAL:____

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
	CTION 3: IMMUNE										
Sec	tion 3.1 Low immunity					Section 4.2 Hed	althy blood pressure mainten	ance	е		
1.	Frequent colds or 'flu	Ν			Y (3)						
2.	Frequent infections in other locations					1. Headaches		0	1	2	;
	(e.g. bladder, skin)	0			3	2. Nosebleeds		0	1	2	
3.	Diarrhoea	0	1	2	3	3. Redness in fo	ace	0	1	2	
4.	Ears continuously drain	0	1	2	3	4. Ringing in e	ars or blurred vision	0	1	2	
5.	Nasal congestion or discharge	0	1	2	3	5. History of hi	gh blood pressure	Ν			Y (6
6.	Sore throat	0	1	2	3						
7.	Cough with mucus	0	1	2	3				TC	DTAL:_	
8.	Cold sores	0	1	2	3						
9.	Inflamed or bleeding gums, or swollen,					Section 4.3 Hed	art				
	red lips or tongue	0	1	2	3	1. Palpitations		0	1	2	
10.	Wounds heal slowly	Ν			Y (3)	2. Dizziness		0	1	2	
11.	Excessive loss of hair	Ν			Y (3)	3. Pain or hea	viness in central chest	0	4	8	10
12.	Neck, armpit or groin swelling	0	1	2	6		pain or heavy crushing				
							hat moves to neck, jaw, left				
			TC	OTAL:		shoulder o	· · · · · · · · · · · · · · · · · · ·	0	4	8	10
				_			veating with chest discomfort or		7		ļ '`
Sec	tion 3.2 Allergy						ual indigestion	0	2	4	
1.	Migraine or non-migraine headache	0	1	2	3		ly, poor exercise tolerance	0	1	2	
2.	Sensitivity to light (skin or eyes)	0	' '	2	3		breath with exertion	0	1	2	
3.	Dark circles under eyes	0	1	2	3		of breath lying flat in bed, or	U	'		,
3. 4.	Swollen eyes, lips, face, or other body parts	0	1	2	3		or bream lying har in bea, or ortness of breath in the				
		U	'		3			0			1.
5.	Localised or general itching – eyes, ears,	0	1	_	2	middle of the	-	0	4	8	1
,	throat, nose, skin	0	'	2	3	9. Wheezing or		0	,	2	
6.	Rashes or eczema	0		2	3		ck are prominent	0	1	2	
7.	Clear watery discharge from nose or eyes	0	1	2	3	•	eet, ankles or legs	0	1	2	;
8.	Sneezing, coughing or wheezing	0	1	2	3	12. History of hi	gh blood cholesterol	Ν			Υ (6
9.	Irritability, fatigue	0		2	3						
10.	Certain foods worsen symptoms, or								TC	DTAL:_	
	cause palpitations	Ν			Y (3)						
C E	CTION 4 CARRIOVACCIII AR		IC	DTAL:_							
	CTION 4: CARDIOVASCULAR										
Sec	tion 4.1 Healthy red blood cell mainten	ance	-								
1.	Excessive fatigue	0	1	2	3						
2.	Prolonged recovery after exercise	0	1	2	3						
3.	Low exercise tolerance, shortness of										
	breath with exertion	0	1	2	3						
4.	Dizziness, spots before eyes, or ringing in ears	0	1	2	3						
5.	Difficulty concentrating, poor memory	0	1	2	3						
6.	Yellowing of eyes or skin	Ν			Y (6)						
7.	Pale eyelids, lips, gums, nails	0	1	2	3						
8.	Red sore tongue	0	1	2	3						
9.	Sores in corner of mouth	0	1	2	3						
10	Easy by vising or blooding	_		_	•						

10. Easy bruising or bleeding

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
Sec	tion 4.4 Circulatory system					SEC	CTION 6: GENITOURINARY SYST)	
1.	Poor circulation in extremities: coldness, or						REPRODUCTIVE HORM	ON	ES		
	numbness, tingling or pricking sensations in						Section 6.1 Kidney/Bladder				
	hands or feet, discolouration in fingers or toes	0	1	2	3	1.	Fluid retention throughout body	0	2	4	1
2.	Ulcers on feet or legs	Ν			Y (6)	2.	Lower back pain	0	1	2	
3.	Muscle pain in calves or thighs with walking	0	1	2	3	3.	Excessive urination	0	1	2	
4.	Difficulty concentrating, poor memory	0	1	2	3	4.	Excessive urination during night	0	1	2	
5.	Faints, or falls with unknown cause	0	4	8	10	5.	Burning with urination	0	1	2	
5 .	Brief periods of difficulty speaking,					6.	Frequent urination	0	1	2	
	swallowing, or understanding speech or					7.	Urgency of urination	0	1	2	
	written word	0	4	8	10	8.	Bloody, cloudy or darkened urine, or				
7.	Brief periods of loss of whole or part of vision	on,					strong-smelling urine	0	1	2	
	double vision, impaired coordination, or					9.	Incontinence	0	1	2	
	areas of numbness	0	4	8	10	10.	Infrequent urination	0	2	4	
						11.	Grey cast to skin	0	2	4	
			TC	DTAL:_		12.	Severe one-sided lower back or groin pain				
E	CTION 5: GLUCOSE TOLERANCE						associated with restlessness	0	1	2	
ec	tion 5.1 Symptoms of hypoglycaemia					13.	History of kidney stones	Ν			Υ (
/he	en you miss a meal, do you feel										
	Fatigue and weakness, or feeling shaky	0	1	2	3				TC	TAL:_	
	Mild headache	0	1	2	3						
3.	Sweating or palpitations	0	1	2	3		tion 6.2 Prostate/Male hormone balance	•			
•	Feeling light-headed or faint	0				(Men	only to answer this section)				
				2	3	,	Diffi Ir				
		U	1	2	3	1.	Difficulty starting urine flow, or		_		
	Difficulty concentrating, poor		1				poor flow of urine	0	1	2	
	Difficulty concentrating, poor memory, confusion	0	1	2	3	1.	poor flow of urine Sense of bladder fullness, incomplete	0	1	2	
	Difficulty concentrating, poor		1 1				poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small		1		
	Difficulty concentrating, poor memory, confusion	0	1	2 2	3	2.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed	0	1	2	
	Difficulty concentrating, poor memory, confusion	0	1	2	3		poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination		1		
i. 5.	Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1	2 2	3	2.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain	0	1 1 2	2	
).	Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1	2 2 DTAL:_	3 3	2.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen	0	1	2 2	
ec	Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1	2 2	3	2. 3. 4.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain	0 0 0	1 1 2	2 2 4	
ec	Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1 1 TC	2 2 DTAL:_	3 3	2. 3. 4. _ 5.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen	0 0 0	1 2 2	2 2 4 4	
	Difficulty concentrating, poor memory, confusion Agitation, irritability Prior 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight	0 0	1 1 TC	2 2 DTAL:_	3 3	2. 3. 4. 5. 6.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation	0 0 0 0	1 1 2 2	2 2 4 4 2	
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite	0 0	1 1 TC	2 2 DTAL:_ 2 2	3 3 3 3	2. 3. 4. 5. 6. 7.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina	0 0 0 0	1	2 2 4 4 2 2	
5.	Difficulty concentrating, poor memory, confusion Agitation, irritability Prior 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight	0 0 0 0 0	1 1 TC	2 2 DTAL:_ 2 2 2	3 3 3 3 3	2. 3. 4. 5. 6. 7. 8.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility	0 0 0 0 0	1	2 2 4 4 2 2	
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness	0 0 0 0 0 0	1 1 1 1 1 1 1 1	2 2 DTAL:_ 2 2 2 2	3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina	0 0 0 0 0	1	2 2 4 4 2 2	Υ (
	Difficulty concentrating, poor memory, confusion Agitation, irritability Prior 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility	0 0 0 0 0	1	2 2 4 4 2 2	
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis	0 0 0 0 0 0	1	2 2 4 4 2 2	
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9. 10.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis	0 0 0 0 0 0	1	2 2 4 4 2 2	Y (:
	Difficulty concentrating, poor memory, confusion Agitation, irritability Prior 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9. 10.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis Genital or groin rash, irritation, itchiness or infection	0 0 0 0 0 0 Z Z	1	2 2 4 4 2 2 2 2	Y (: Y (:
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections	0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis Genital or groin rash, irritation, itchiness or infection	0 0 0 0 0 0 0 X Z 0 0	1	2 2 4 4 2 2 2 2 2 2	Υ (
	Difficulty concentrating, poor memory, confusion Agitation, irritability Prior 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet		1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis Genital or groin rash, irritation, itchiness or infection Painful testicle(s)	0 0 0 0 0 0 0 X Z 0 0	1	2 2 4 4 2 2 2 2 2 2	Y (4
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet Slow wound healing	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 4 7 (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis Genital or groin rash, irritation, itchiness or infection Painful testicle(s) Testicles uneven in size, texture or hardness	0 0 0 0 0 0 0 X X 0 0 0 X	1	2 2 4 4 2 2 2 2 2 2	Y (:
	Difficulty concentrating, poor memory, confusion Agitation, irritability tion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet Slow wound healing	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 4 (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	poor flow of urine Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed Dripping after urination Ejaculation causes pain Blood in semen Low libido Difficulty attaining or maintaining an erection Premature ejaculation Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis Genital or groin rash, irritation, itchiness or infection Painful testicle(s) Testicles uneven in size, texture or hardness Both testicles appear smaller	0 0 0 0 0 0 0 X X 0 0 0 X	1	2 2 4 4 2 2 2 2 2 2	Y (:

TOTAL:___

Occasionally Moderately / Often Frequently / Daily

Section 6.3 Symptoms of PMS (Women only to answer this section)

Symptoms experienced in the 3 to 14 days prior to menstruation, in the last 3 months

men	sirounon, in the last 5 mornins				
1.	Insomnia	0	1	2	3
2.	Abdominal bloating	0	1	2	3
3.	Breast tenderness, swelling or lumps	0	1	2	3
4.	Feeling depressed, teary, or sensitive	0	1	2	3
5.	Feeling anxious, irritable, or easily angered	0	1	2	3
6.	Diarrhoea or constipation	0	1	2	3
7.	Headaches or migraines	0	1	2	3
8.	Food cravings or binge eating	0	1	2	3
9.	Back pain	0	1	2	3
10.	Fluid retention or weight gain	0	1	2	3
11.	Clumsiness	0	1	2	3
12.	Feeling aggressive, or feeling suicidal	0	4	8	10

TOTAL:____

Section 6.4 Menstrual irregularities (Women only to answer this section)

Symp	otoms experienced in the past 3 months				
1.	Irregular intervals between periods	Ν			Y (3)
2.	Long period cycles, greater than 32 days	Ν			Y (3)
3.	Short period cycles, less than 24 days	Ν			Y (3)
4.	Vaginal bleeding between periods	Ν			Y(10)
5.	Painful periods – lower abdomen or back	0	1	2	3
6.	Pain with periods is worsening	Ν			Y (6)
7.	Painful intercourse during menstruation	0	1	2	3
8.	Pelvic and/or rectal pressure				
	around menstruation	0	1	2	3
9.	Constipation or diarrhoea with menstruation	0	1	2	3
10.	Nausea and/or vomiting with menstruation	0	1	2	3
11.	Light blood flow	Ν			Y (3)
12.	Heavy blood flow, or flooding	Ν			Y (3)
13.	Passage of large or profuse blood clots	Ν			Y (3)
14.	Prolonged duration of bleeding	Ν			Y (3)
15.	Number of days				
16.	Absence of menstrual flow for more				
	than 5 months	Ν			Y (6)

TOTAL:____

	ion 6.5 Symptoms of menopause nen only to answer this section)	Never	Occasionally	Moderately / Often	Frequently / Daily	
1.	Irregular menstrual cycle and/or changes					
	in menstrual flow (heavier or lighter)	Ν			Y (3)	
2.	Dry skin, hair or vagina	0	1	2	3	
3.	Low libido	0	1	2	3	
4.	Mood swings, irritability, depression,					
	nervousness, anxiety	0	1	2	3	
5.	Hot flushes	0	1	2	3	
6.	Night sweats	0	1	2	3	
7.	Headaches or dizziness	0	1	2	3	
8.	Painful intercourse	0	1	2	3	
9.	Insomnia	0	1	2	3	
10.	Difficulty concentrating, poor					
	memory, or confusion	0	1	2	3	
11.	Thinning of armpit and pubic hair, or					
	increased hair growth on upper lip	Ν			Y (3)	
12.	Breasts reducing in size and starting to sag	Ν			Y (3)	

TOTAL:____

Section 6.6 Other female sexual and hormonal problems

(Won	nen only to answer this section)	rinonai p	n obie	11115		
1.	Vaginal dryness or pain	0	1	2	3	
2.	Painful intercourse	0	1	2	3	
3.	Milk production (not nursing),					
	or engorged breasts	0	1	2	3	
4.	Low libido	0	1	2	3	
5.	Excessive libido	0	1	2	3	
6.	Acne and/or oily skin	0	1	2	3	
7.	Excess facial hair	Ν			Y (3)	
8.	Breasts shrinking	Ν			Y (3)	
9.	Thinning body hair	Ν			Y (3)	
10.	Infertility	Ν			Y (3)	
11.	Miscarriage	Ν			Y (3)	
12.	Vaginal discharge: excessive,					
	smelly, or coloured	0	1	2	3	
13.	Burning or itching of external genitalia	0	1	2	3	
14.	Vaginal bleeding after intercourse,					
	or between periods	0	1	2	3	
15.	Lower abdominal or back pain	0	1	2	3	
16.	Breast lumps, or a change in					
	breast size or shape	Ν			Y (8)	
17.	Nipple discharge, or change in					
	appearance of nipple	0	2	6	8	
18.	Swelling under armpit	Ν			Y (6)	

TOTAL:____

CE4	STION 7. MUSSIN OSKELETAL	Never	Occasionally	Moderately / Often	Frequently / Daily	Football	sian 7.2 Compositiva tianna (s. 11.	Never	Occasionally	Moderately / Often	Frequently / Daily
	CTION 7: MUSCULOSKELETAL						tion 7.3 Connective tissue (Continued)				
	tion 7.1 Bone					11.	Numbness, prickling, tingling sensation	•			
1.	Generalised bone tenderness or achiness	0	1	2	3	10	in neck, shoulders or arms	0	2	4	6
2.	Localised bone pain	0	1	2	3	12.	1 , , , ,	Ν			Y (3)
3.	Bone deformity or swelling	N			Y (8)	13.	, ,	N.I.			V (2)
4.	Shins hurt during or after exercise	0	1	2	3	1 4	elbows, knees, toes	N N			Y (3)
5.	Low back or hip pain	0	1	2	3	14.	Knobbly joints	N			Y (3)
6.	Walking difficulties, or a limp	0	1	2	3	15.	Muscle wasting	14			Y (3)
7.	Hearing loss, headaches, ringing in ears	Ν			Y (8)				Τ/	OTA I	
8.	Diagnosis of osteoporosis	N			Y (8)	SE/	CTION 8: BRAIN AND NERVOU	c cv		OTAL:_	
9.	Abnormal spinal curvature	Ν			Y (6)			3 31.) I E/V	1	
10.	Recent loss of height	Ν			Y (8)	Seci	tion 8.1 Neurological				
11.	Bowed legs	Ν			Y (3)	1.	Headache	0	1	2	3
12.	Stooped posture or hump at base of neck	Ν			Y (3)	2.	Light-headedness, fainting	0	2	4	6
13.	Unexplained bone fracture	Ν			Y (8)	3.	Ringing or buzzing in ears	0	1	2	3
						4.	Trembling hands	0	1	2	3
			TC	DTAL:_		5.	Weakness	0	2	4	6
						6.	Numbness, pins and needles, or				
Sec	tion 7.2 Muscle		-				tingling in limbs	0	2	4	6
1.	Muscle aches and pains	0	1	2	3	7.	Unsteady on feet	0	2	6	8
2.	Muscle stiffness, tension	0	1	2	3	8.	Easily fatigued	0	1	2	3
3.	Specific body points are tender to touch	0	1	2	3	9.	Poor hand coordination	0	2	6	8
4.	Headaches	0	1	2	3	10.	Convulsions, seizures or funny turns	0	4	8	10
5.	Fatigue	0	1	2	3	11.	Difficulty concentrating, confused,				
6.	Difficulty sleeping	0	1	2	3		poor memory	0	1	2	3
7.	Muscle cramps or spasms	0	1	2	3		Clumsy	0	1	2	3
8.	Muscles twitch or tremble	0	1	2	3	13.	Drooping eyelid(s)	0	2	4	6
9.	Restless legs	0	1	2	3	14.	Impaired hearing, eyesight, sense				
10.	Upper or lower back pain	0	1	2	3		of touch, smell or taste	0	4	8	10
11.	Muscle weakness	0	2	4	8	15.	Slow or slurred speech	0	4	8	10
12.	Muscle loss and wasting	Ν			Y (8)	16.	Incontinence	0	2	4	6
			TC	DTAL:_					TO	OTAL:_	
Sec	tion 7.3 Connective tissue					Sect	tion 8.2 Stress history			-	
1.	Tender, red, swollen, and stiff joints	0	1	2	3	In po	ast 2 years have you experienced				
2.	Dry mouth, dry, painful eyes	0	1	2	3	1.	Divorce	Ν			Y (4)
3.	Creaking (noisy) joints	0	1	2	3	2.	Separation from partner	Ν			Y (4)
4.	Limp	0	1	2	3	3.	Marriage	Ν			Y (3)
5.	Shooting, aching, tingling pain					4.	Death of close family member or friend	Ν			Y (4)
	down back of leg	0	2	4	6	5.	Loss of work, retirement or starting a new job	οΝ			Y (3)
	Joint pain involves more than one joint	0	1	2	3	6.	Bankruptcy, or a major change in finances	Ν			Y (3)
6.		0	1	2	3	7.	Moving house	Ν			Y (2)
6. 7.	Limited range of motion	0									
	Limited range of motion Difficulty standing up from seated position	0	1	2	3	8.	Major personal injury or illness	Ν			Y (3)
7.				2	3	8. 9.	Major personal injury or illness Violations of the law	N N			Y (3) Y (2)

		-	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	:
Sec	tion 8.3 Symptoms of insomnia					SEC	CTION 10: HAIR, SKIN AND NAI	LS (c	ontinue	d)	
Do	you					7.	Rashes	0	1	2	
1.	Have an overactive mind, or worry excessively	0	1	2	3	8.	Areas of increased pigmentation	0	1	2	
2.		-	1	2	3	9.	Areas of decreased pigmentation	0	1	2	
3.			1	2	3	10.	Unusual or changing moles	Ν			Υ
4.	Eat chocolate or drink caffeine in the evenings		1	2	3	11.	Areas of unexplained redness	0	1	2	
5.	Have difficulty falling asleep or staying asleep		1	2	3	12.	Undiagnosed skin lumps/bumps	N			Υ
6.	Eat after 8pm	0	1	2	3	13.	Discoloured nails	0	1	2	
			TC	NT A I		14.	Pitted nails Weak/brittle nails	0	1	2	
			10	TAL:_		15.	•	0	1	2	
Sec	ction 8.4 Normal, healthy learning and co	ncent	rati	on		16.	Thickened nails	0	1	2	
	уои			-					To	OTAL:	
1.		0	1	2	3					· <u>-</u>	
2.			1	2	3					4	
3.		0	1	2	3					Moderate	
4.	Experience mental confusion or sluggishness	0	1	2	3			None	Wild	lode	
5.		N			Y (3)			_	2	2	
ó .	Have food allergies	Ν			Y (2)						
3. 1. 5.	Cough, dry or moist Thick yellow, greenish or brown sputum	0	1 1 1 2	2 2 2 4	3 3 3 6	3. 4.	bananas, chocolate) Caffeine Chemicals such as fragrances, exhaust fumes, cigarette smoke or other strong odours	0	1	2 2 2	
7. 3.	Frothy sputum Noisy rattling sounds when breathing	0	1	4 2	6 3	5. 6.	Even small amounts of alcohol Do you have a history of exposure to chemical	0	1	2	
7 . 3.	Frothy sputum Noisy rattling sounds when breathing Pain in chest	0	1	2	3		Even small amounts of alcohol	0		2	Y
7 . 3. 9.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive	0 0 0	1 1 1	2 2 2	3 3 3		Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or	0 ls		8-14	
7 . 3. 9. 10.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring	0 0 0 0	1	2	3 3 3 3	6.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents?	0 ls N	1		
7. 3. 7. 10.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2 2	3 3 3 4 7 (3)	6.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol	0 ls N	1	8-14	1
7. 3. 7. 10.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2	3 3 3 3	6. 7.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week)	0 Is N 0	1 1-7 (1)	8-14 (2)	1
7. 3. 0. 1.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2 2	3 3 3 4 7 (3)	6. 7.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks	0 Is N 0	1 1-7 (1) 1-2	8-14 (2) 3-4	1
7. 3. 7. 10.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2 2	3 3 3 4 7 (3)	6. 7. 8.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type	0 ls N 0	1 1-7 (1) 1-2 (1) 1-8	8-14 (2) 3-4 (2) 9-19	2
7 . 3. 9. 10. 11.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2 2	3 3 3 4 7 (3)	6. 7. 8. 9.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking,	0 s N O O O	1 1-7 (1) 1-2 (1)	8-14 (2) 3-4 (2)	2
7 . 3. 9. 10. 11.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest"	0 0 0 0 0 N	1 1 1	2 2 2 4 DTAL:_	3 3 3 4 7 (3)	6. 7. 8. 9. 10.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year?	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8	8-14 (2) 3-4 (2) 9-19	1 2 Y
7 . 3. 9. 10. 11.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips	0 0 0 0 0 0	1 1 1 1 2	2 2 2 4 DTAL:_	3 3 3 Y (3) 10	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs?	0 s N O O O	1 1-7 (1) 1-2 (1) 1-8	8-14 (2) 3-4 (2) 9-19	1 2 Y
7 . 3. 9. 10. 11.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips	0 0 0 0 0 0	1 1 1 1 2	2 2 2 4 DTAL:_	3 3 3 Y (3) 10	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8	8-14 (2) 3-4 (2) 9-19	1 2 Y
7. 3. 9. 10. 11. 12.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips	0 0 0 0 0 N 0 0 0 N	1 1 1	2 2 2 2	3 3 3 4 7 (3)	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs?	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8	8-14 (2) 3-4 (2) 9-19	1 2 Y
7. 3. 10. 11. 12. 13.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips CTION 10: HAIR, SKIN AND NAILS	0 0 0 0 0 N 0 0 0 N 0 0 0 N 0 0 0 0 N 0 0 0 0 N 0 0 0 0 N 0 0 0 N 0 0 0 0 N 0 0 0 N 0 0 0 N 0 0 0 N 0 0 0 N 0 N 0 0 N 0 0 N 0 N 0 0 N	1 1 1 1 2 TO	Moderate A DIATE: 5	Severe 3 3 3 3 7 (3) 10	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8 (3)	8-14 (2) 3-4 (2) 9-19 (3)	1 2 Y
7. 3. 9. 10. 11. 12. 13.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips CTION 10: HAIR, SKIN AND NAILS Acne	0 0 0 0 0 N 0 0 0 N 0 0 0 0 N 0 0 0 0 0	1 1 1 1 2 TO	2 2 2 2 4 ADTAL:_	3 3 3 3 Y (3) 10	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8 (3)	8-14 (2) 3-4 (2) 9-19	2 Y
7. 3. 9. 10. 11. 12. 13.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips CTION 10: HAIR, SKIN AND NAILS Acne Psoriasis	0 0 0 0 0 N 0 0 0 N 0 0 0 0 N 0 0 0 0 0	1 1 1 1 2 TO	2 2 2 4 ADTAL:	Severe 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8 (3)	8-14 (2) 3-4 (2) 9-19 (3)	Y 1 2 Y Y
7. 8. 9. 110. 112. 13.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips CTION 10: HAIR, SKIN AND NAIL: Acne Psoriasis Eczema/dermatitis	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 2 TO	2 2 2 4 4 DIAY:	Severe 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8 (3)	8-14 (2) 3-4 (2) 9-19 (3)	2 Y
6. 7. 8. 9. 10. 11. 12. 13.	Frothy sputum Noisy rattling sounds when breathing Pain in chest Bad breath or sputum smells offensive Loud snoring Colds always "go to the chest" Bluish nails or lips CTION 10: HAIR, SKIN AND NAIL: Acne Psoriasis Eczema/dermatitis Warts	0 0 0 0 0 N 0 0 0 N 0 0 0 0 N 0 0 0 0 0	1 1 1 1 2 TO	2 2 2 4 ADTAL:	Severe 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	6. 7. 8. 9. 10. 11.	Even small amounts of alcohol Do you have a history of exposure to chemical such as herbicides, insecticides, pesticides or organic solvents? Alcohol (number of drinks per week) Coffee or other caffeinated drinks (number per day) Smoking (number per day)? Type If not currently smoking, have you quit smoking in the last year? Recreational drugs? Type	0 ls N O O N N N N N N N	1 1-7 (1) 1-2 (1) 1-8 (3)	8-14 (2) 3-4 (2) 9-19 (3)	2 Y

Moderately / Often Moderately / Often Frequently / Daily Frequently / Daily Occasionally Occasionally Section 12.4 **SECTION 12: GENERAL HEALTH HISTORY** Which of the following types of medications have you Section 12.1 Patient health history taken in the last 6 months? Frequency of exercise (days per week) 6-7 3-5 1-2 0 1. Asthma medications/inhalers Ν (0)(1) (2)(3)Anti-diabetics/insulin Ν 2. Vegetarian or vegan Ν Y (2) 3. Steroids e.g. cortisone Ν 3. Ν Age >50 years Y (3) 4. Anti-inflammatories/aspirin Ν 4. Planning to have a baby in the next 3-6 monthsN Y (3) 5. Paracetamol Ν 5. Pregnant or breastfeeding Y (3) 6. High blood pressure Ν 7. Heart Ν TOTAL: 8. Thyroid Ν 9. Antihistamines Section 12.2 Weight management 10. Antiulcer medications, antacids Ν Antibiotics/antifungals Ν Ν Do you diet often? Y (3) 12. Antidepressants Ν 2. Are you unhappy with your weight? Ν Y (3) 13. Antipsychotics Ν TOTAL: 14. Relaxants/sleeping tablets Ν 15. Hormones/oral contraceptives Ν Ν 16. Chemotherapy Section 12.3 High risk symptoms 17. Any other medications? Ν Unexplained weight loss 1. Ν Y (6) 2. Night sweats 0 2 4 6 2 3. Fevers 0 6 List the nutritional or herbal supplements you are currently taking _____ 4. Ν Y (6) Lumps, e.g. breast, armpit, skin 5. Reduced appetite 0 2 4 6 6. Severe fatigue 0 2 4 6 List any major health problems in past, surgery, etc____ TOTAL: List your major health concerns at present Family History Do you have a family history of diabetes, cardiovascular disease, cancer, or any other major illness?_____

Thank you, for your taking the time to complete this questionnaire.